

SPEC SHEET + MEASUREMENTS

SPORT-TEK

Sport-Tek® Women's PosiCharge® Tri-Blend Wicking 1/4-Zip Pullover. LST407

Product photo



This lightweight pullover locks in color and wicks moisture. With unbeatable tri-blend softness, it's versatile enough for year-round wear.

- 4.4-ounce, 75/13/12 poly/cotton/rayon jersey with PosiCharge technology
- 4.6-ounce, 75/13/12 poly/cotton/rayon jersey with PosiCharge technology (Black Triad Solid)
- Tear-away removable label
- Cadet collar
- Reverse coil zipper
- Princess seams
- Set-in sleeves
- Open cuffs and hem

CARE INSTRUCTIONS

Machine wash cold with like colors. Only non-chlorine bleached, when needed. Tumble dry low, remove promptly. Do not use fabric softener. Cool iron, if necessary. Do not dry clean.

Sketches



front



back

SPEC SHEET + MEASUREMENTS



Sport-Tek® Women's PosiCharge® Tri-Blend Wicking 1/4-Zip Pullover. LST407

PRODUCT MEASUREMENTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	18	19	20	21 1/2	23	24 1/2	26 1/2	28 1/2
Body Length at Back	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2
Sleeve Length	31 1/2	32	32 1/2	33 1/8	33 3/4	34 3/8	34 3/4	35 1/8

Bust: Measured across the chest one inch below armhole when laid flat.

Body Length at Back: Measured from high point shoulder to finished hem at back.

Sleeve Length: Start at center of neck and measure down shoulder, down sleeve to hem.

SIZE CHARTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	32-34	35-36	37-38	39-41	42-44	45-47	48-51	52-55

SPEC SHEET + MEASUREMENTS



Sport-Tek® Women's PosiCharge® Tri-Blend Wicking 1/4-Zip Pullover. LST407

HOW TO MEASURE



BUST

Measure under the arm and around the fullest part of the bust with arms down, keeping tape horizontal.

COLORS

Please note: PMS code information is shown only when an exact match is available.



Black Triad
Solid
PMS BLACK
C



Dark Grey
Heather
PMS COOL
GRAY 11C



Light Grey
Heather
PMS COOL
GRAY 5C



Pond Blue
Heather
PMS 7689C



True Navy
Heather
PMS 533C



True Royal
Heather
PMS 7455C